

Education • Multi-Family • Hotel • Healthcare • Office Building • Industrial Warehouse • Rehabs • Lofts • More

8000 SERIES WINDOWS FROM NT




NT  window®




High Performance Vinyl that's Tough Like Aluminum.

Unmatched in quality and exceptional in performance, our 8000 Series Windows offer the design features and superior efficiency necessary for commercial project requirements. Manufactured to meet the most stringent standards our windows are designed to perform in the most adverse conditions and pass integral industry testing and inspections to assure overall quality of construction and performance.

For more information
on the 8000 Series
scan here:



Features



Beauty. Engineering. Performance.




Our 8000 Series Windows are designed for use in both new construction and remodeling applications. Designed to perform in the most challenging projects, our vinyl profiles are Certified by the American Architectural Manufacturers Association.

Architectural Drawings

Vertical Opening

Horizontal Opening



Patented design includes three points of weatherstripping on the top sash alone.



Limit Stop for added safety and increased air flow.



Unique interlock design and Fusion Lock provides improved security and an uninterrupted seal for improved performance and integrated tilt mechanism for easy operation.

The high performance window design of the 8000 Series includes 12 points of contact between weatherstripping and frame design creating the ultimate air infiltration barrier.

Compare and reap the benefits of higher efficiency and lifetime performance.

Structural Ratings:	Double Hung	Single Hung	Slider	Picture	Casement
Standard Reinforcement	LC-40 (54"x77")	LC-40 (54"x77")	LC-35 (71"x56")	C-55 (72"x72")	LC-60 (36"x72")
Upgrade Reinforcement	C-40 (56"x91")	LC-50 (54"x77")	NA	NA	NA
Air Infiltration	.11 cfm/ft ²	.02 cfm/ft ²	.18 cfm/ft ²	<.01 cfm/ft ²	.02 cfm/ft ²

Thermal Ratings:	Double Hung	Single Hung	Slider	Picture	Casement
Dual Glaze, LowE/Argon					
• U Factor	.28	.28	.28	.26	.27
• SHGC	.20	.20	.20	.21	.18
Triple Glaze, LowE/Argon					
• U Factor	.24	.24	.24	.22	TBA
• SHGC	.18	.19	.19	.20	TBA
Triple Glaze, LowE X2 with Argon, ProFormR Insulation™					
• U Factor	.19	.19	.19	.17	TBA
• SHGC	.17	.16	.18	.19	TBA



Regardless of the color, either standard or custom, each 8000 Series Window is built specifically for your project to your exact specifications



Extended warranty coverage available.

Color options:



Crème White




Almond

Interior:


VERSAWOOD
WOODGRAINS



Light Oak



Dark Oak



Cherry




VIVIDCOLOR
BY NT WINDOW



**You Pick It.
We Make It.**

Custom Exterior
Coatings to match
any color design.



NT window[®]
www.ntwindow.com